DATA SHEET

Chopped Strands CS 7994



		hered and the second	
Polymer Food Contact Grade for different polymer system		erent polymer systems	
	CS 7994 [*] is suitable for reinforcement of different kinds of thermoplastic com pounds. It was especially developed for use in food contact applications.		
Product Description	Food contact grade		
	All sizing ingredients listed in EC/10/2011		
	High mechanical strength		
	Suitable for PA-grades as well as other thermoplastics		
Technical	Fiber Diameter (nom.)	11 µm	
Characteristics	Av. Fiber Length (nom.)	4,5 mm	
	Glass	E-Glass (DIN 1259)	
	Size	Polymeric size containing silane	
	Moisture content	≤ 0,05 wt%	
	Size content	approx. 0,80 wt%	
	(Original data ex works)		
Packaging	Big Bag, PE Bags (see detailed information on next page)		
Storage	The glass fiber should be stored in a dry place, preferably at room tempera- ture and 50 - 70 % relative humidity.		
Contact	For further information please contact:		
	Mail	glassfiber@lanxess.com	
	Phone	+49 (0)221 8885 7275	

DATA SHEET



Packaging Information CS 7994

Big Bag, recyclable PE Bags Net Weight 1000 kg Net Weight Bag 20 kg Dimensions Bag 1030 x 1030 x 1400 mm Net Weight Pallet 20 kg x 50 = 100 Dimensions Pallet 1140 x 1140 mm (CP3) Dimensions Pallet 1300 x 1100 mm Packaging Code BD00 - FA100T Packaging Code SD 00 - BA 100 Bottom unloading through discharge spout 10 layers per participation 10 layers per participation Image: Stress	
Dimensions Bag1030 x 1030 x 1400 mmNet Weight Pallet20 kg x 50 = 100Dimensions Pallet1140 x 1140 mm (CP3)Dimensions Pallet1300 x 1100 mmPackaging CodeBD00 - FA100TPackaging CodeSD 00 - BA 100	
Dimensions Pallet1140 x 1140 mm (CP3)Dimensions Pallet1300 x 1100 mmPackaging CodeBD00 - FA100TPackaging CodeSD 00 - BA 100	
Packaging Code BD00 – FA100T Packaging Code SD 00 – BA 100	00 kg
	n (CP7)
Bottom unloading through discharge spout 10 layers per particular Image: Spout Spo	E
	llet

Disclaimer

Values

Unless specified to the contrary, the values given have been established on standardized test. The figures should be regarded as guide values only and not as binding minimum values.

© = LANXESS Deutschland GmbH | HPM Business Unit | all rights reserved www.glassfiber.lanxess.com Page 2 of 2 | Edition 14.12.2020

This information and our technical advice - whether verbal, in writing or by way of trials - are given in good faith but without warranty, and this also applies where proprietary rights of third parties are involved. Our advice does not release you from the obligation to verify the information currently provided - especially that contained in our safety data and technical information sheets - and to test our products as to their suitability for the intended processes and uses. The application, use and processing of our products and the products manufactured by you on the basis of our technical advice are beyond our control and, therefore, entirely your own responsibility. Our products are sold in accordance with the current version of our General Conditions of Sale and Delivery.